



JP 350

Robust VFFS machine technology for highly corrosive and abrasive product

- Highly suitable for corrosive as well as for abrasive products
- Ideal for packing salt and detergents up to 1 kg
- The enclosure used is made by Rittal which comes with IP 66 and NEMA 4 protection

Mobile: +91 9825111747 | Email: info@catalispackaging.com | Web: www.catalispackaging.com



## **Specifications:**

| MODEL                   |        | JP 350  |
|-------------------------|--------|---|
| Bag Type                |        | Pillow Type Centre Sealed                                     |
| Mechanical speed        |        | Maximum 60 bpm depend on product, bag size and filling system |
| Min Bag Length          |        | 60mm  |
| Max Bag Length          |        | 250 mm  |
| Min Film Width          |        | 100 mm  |
| Max Film Width          |        | 350 mm  |
| Bore of Film Roll core  |        | 3 inch  |
| Max roll diameter       |        | 350 mm  |
| Max roll weight         |        | 35 kg   |
| Product                 |        | Salt and Detergents   |
| Machine                 | Width  | 1200 mm   |
|                         | Height | 2550 mm   |
|                         | Length | 1800 mm   |
| Power Supply Voltage    |        | 3 Phase, 415 VAC ± 10%, 50 Hz                                 |
| Air Supply              |        | 600 liters/min @ 5 kg/cm²                                     |
| Weight Approximately    |        | 1200 kg   |
| Operational Temperature |        | 0-40°C RH30-70% Non-Condensing                                |

All rights reserved. The information contain herein may be changed without prior notice.

Mobile: +91 9825111747 | Email: info@catalispackaging.com | Web: www.catalispackaging.com